

## Integration Formulae

In the following

- $f, g$  are  $C^1$  functions.
- $\varphi, \psi$  are  $C^2$  functions.
- $\omega$  is a  $C^1$  1-form.
- $D$  is a region in  $M$  with compact closure and piecewise differentiable boundary.

$$(1) \quad d\omega = 0 \quad \Rightarrow \quad \int_{\delta D} \omega = 0$$

$$(2) \quad \int_{\delta D} f\omega = \int_D df \wedge \omega + \int_D f d\omega$$

$$(3) \quad f\omega \text{ has compact support contained in } D \quad \Rightarrow \quad \int_D df \wedge \omega + \int_D f d\omega = 0$$

$$(4) \quad (df, *\omega)_D = \int_D f d\bar{\omega} - \int_{\delta D} f \bar{\omega}$$

$$(5) \quad (d\varphi, d\psi)_D = - \int_D \varphi \Delta \bar{\psi} + \int_{\delta D} \varphi * d\bar{\psi}$$

$$(6) \quad \int_D (\varphi \Delta \psi - \psi \Delta \varphi) = \int_{\delta D} (\varphi * d\psi - \psi * d\varphi)$$

$$(7) \quad (df, *d\psi)_D = - \int_{\delta D} f d\bar{\psi}$$

$$(8) \quad d\omega = 0 \quad \Rightarrow \quad \int_{\delta D} f \bar{\omega} = \int_D df \wedge \bar{\omega}$$

$$(9) \quad \int_{\delta D} f d\bar{g} = - \int_{\delta D} \bar{g} df$$

$$(10) \quad d\omega = d(f\omega) = 0 \quad \Rightarrow \quad \int_D df \wedge \bar{\omega} = 2 \int_{\delta D} (\operatorname{Re} f) \bar{\omega} = 2i \int_{\delta D} (\operatorname{Im} f) \bar{\omega}$$